## Amendments to the Claims

This listing of claims will replace all prior listings of claims in the application.

## Listing of Claims

Claims 1-9 (Cancelled)

- 10. (Previously Presented) A metalized molded product comprising a molded product made of a thermoplastic resin composition comprising 90-30% by weight of (A) a thermoplastic resin, 5-60% by weight of (B) a fibrous filler and 5-60% by weight of (C) a whisker and a metal plating provided on the molded product.
- 11. (Previously Presented) The metalized molded product of Claim 10, wherein the fibrous filler is carbon fiber.
- 12. (Previously Presented) The metalized molded product of Claim 10, wherein the thermoplastic resin composition further comprises a flame retardant.
- 13. (Previously Presented) The metalized molded product of Claim 12, wherein the flame retardant is at least one member selected from the group consisting of a red phosphorus flame retardant and a hydrated metal flame retardant.
- 14. (Previously Presented) The metalized molded product of Claim 10, wherein the thermoplastic resin is at least one member selected from the group consisting of a polyamide and an ABS resin.
- 15. (Previously Presented) The metalized molded product of Claim 14, wherein the thermoplastic resin is an ABS resin.

Claims 16-18 (Cancelled)

19. (Previously Presented) The metalized molded product of Claim 13, wherein the flame retardant is a hydrated metal flame retardant.

## Claim 20 (Cancelled)

- 21. (New) The metalized molded product of Claim 10, wherein the thermoplastic resin composition comprises 90-30% by weight of (A) a thermoplastic resin comprising at least one member selected from the group consisting of a polyamide and a styrene polymer, 5-60% by weight of (B) carbon fiber, 5-60% by weight of a whisker having a specific gravity of at least 2 and a flame retardant comprising at least one member selected from the group consisting of a red phosphorus flame retardant and a hydrated metal flame retardant.
- 22. (New) The metalized molded product of Claim 21, wherein the thermoplastic resin is an ABS resin and the flame retardant is a hydrated metal flame retardant.